

TECHNICAL CORRIGENDUM – 1

16-08-2022

Implementation of LAN setup at Mrittika Bhawan.

e-Tender No : WEBEL/EOT/COM/22-23/00030 Dated - 08-08-2022

MINIMUM REQUIRED SPECIFICATIONS	Compliance (Yes/No)
Firewall/Security Gateway	
The firewall should support of NGFW technology and provide secure SD-WAN	
The firewall should support firewall throughput of 10Gbps	
The firewall should support NGFW throughput of 1GBPS	
The firewall should support IPS throughput of 1.4Gbps	
The firewall should support Threat Protection Throughput of 700 Mbps	
The firewall should support Firewall Policies of 5000	
High Availability Configurations: Active-Active, Active-Passive, Clustering	
Certifications : ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN	
Compliance : FCC, ICES, CE, RCM, VCCI, BSMI, UL/cUL, CB	
Operating Temperature : 32–104°F (0–40°C)	
1100VA Offline UPS with inbuilt battery	
Main Input Voltage : 230 V	
Rated power in VA : 1100 VA	
Battery type : Lead-acid battery	
Switching current capacity :7 A	
Maximum configurable power in W : 660 W	
UPS type : Line interactive	
Wave type : Stepped approximation to a sinewave	
Efficiency : 72 % (full load) 84 % (half load)	
Full load runtime: 660 W	
Product certifications : BIS	
Battery recharge time : 6 h	
Number of battery replacement quantity: 2	
Battery voltage :24 V	
Battery power in VAH :128 VAh runtime	

THE ABOVE CORRIGENDUM IS A PART OF ORIGINAL TENDER DOCUMENT